



CE Made in Italy

CATALOG

CABLE REELS FOR
BATTERY CHARGING

TECHNOLOGY FOR FLUIDYNAMICS

No. E18/RB



HELP THE NATURE



Packaging contains, depending on the articles, one or more of the following materials; they must be recycled in accordance with current regulations in the country of use.

cardboard • polyethylene sack • polystyrene • paper • wood • nails
• plastic strap • cellophane • clips • gummed paper



OUR STRENGTHS

The widest range of technology for fluidynamics designed to meet all the needs of our clients with cutting-edge solutions, even the most specific.

The quality, reliability and design that have always distinguished the Ecodora brand in the global market.

A technical service before and after sales to recommend the most suitable product according to the customer's needs as well as to provide support to the end users.

OUR GOALS

To develop a long lasting cooperation with our customers by listening to their needs and their expectations.

To meet every user's need by offering only high quality products.




www.ecodora.com
info@ecodora.com

CE Made in Italy  

✓ ADVANTAGES

- ▶ Cable guide with rollers, horizontal and vertical, on 4 sides, designed to extend average cable life, comes standard on all models.
- ▶ IP64 protection degree standard on all models.
- ▶ Special electric collector to drastically reduce overheating during operation.
- ▶ Thermal protector standard on all models.
- ▶ An optional protection degree is available, useful to protect against accidental, uncontrolled rewinding of the cable.
- ▶ Repeated spring stress-tests guarantees decades of life and efficiency.
- ▶ 1,3 m inlet cable as standard to connect the cable reel for battery charging to the main line.



Technical characteristics



1

CABLE GUIDE

sturdy and resistant with reinforced steel interior.

2

REWINDING CLUTCH

optional: lets you rewind the drum at a safe speed.

3

PAWL

easy to remove for maintenance or when the work requires free sliding.

4

SIDE CLUTCH

has special seals that act as bracket clutch.

5

CONNECTION PLIERS

to connect the cable reel to the vehicle's battery.

6

SPRING

tested to withstand over 20000 work cycles.

7

EXTENSION CABLE

with 6 red cable for the positive pole and 6 black cable for the negative one previously divided and sheathed.

8

FIXING BRACKET

can be rotated up to 90° per side and has 2 slotted holes for safe, easy installation.

9

BAYONET BRACKET

lets you quickly move the cable reel around the various workstations.


info@ecodora.com
www.ecodora.com

The cable reels for battery charging are the ideal solutions designed by ECODORA to facilitate the battery charging of the vehicles in the whole garage, in the farthest places from the main recharging device too. Usable as an extension cable with 6 or 9 meters, the cable reel can be used with a maximum charging current of 30 A and it's equipped with a reset button and a thermic protection against the current overload.



OVERALL DIMENSIONS (mm)


Overall dimensions without bayonet bracket (mm)



L 440 x P 195 x H 485

(W: width - D: depth - H: height)

Overall dimensions with bayonet bracket (mm)



N° 40 packages per pallet



P/N	Number of conductors	Type of cable	Cable length	Max. charging current*	Weight
OE2155	6 red + 6 black	12 x 1,5 - H05 VV-F	4 + 2 m	30 A	7,6 Kg
OE2156	6 red + 6 black	12 x 1,5 - H05 VV-F	7 + 2 m	30 A	8,5 Kg

* with unwound cable



SPEED CONTROL

The versions listed below come with clutch so that cable rewinding can be performed at a controlled speed.

They are marked by the SPEED CONTROL dataplate.

P/N	Number of conductors	Type of cable	Cable length	Max. charging current*	Weight
OE2155F	6 red + 6 black	12 x 1,5 - H05 VV-F	4 + 2 m	30 A	8,0 Kg
OE2156F	6 red + 6 black	12 x 1,5 - H05 VV-F	7 + 2 m	30 A	8,9 Kg

* with unwound cable

Related products

With plug and Schuko socket

P/N	Type of cable	Cable length
OE2315S	3G x 1,5 H05 VV-F	14 + 1 m



With plug and Schuko socket and Speed Control

P/N	Type of cable	Cable length
OE2315SF	3G x 1,5 H05 VV-F	14 + 1 m

With LED lamp

P/N	Type of cable	Cable length
OE2210L	3G x 1,5 H05 VV-F	14 + 1 m



With LED lamp and Speed Control

P/N	Type of cable	Cable length
OE2210LF	3G x 1,5 H05 VV-F	14 + 1 m

Accessory

P/N 260/03

Bayonet bracket, lets you easily move the tape reel within the various workstations.




Examples of cable reels with accessories





WEVRB-GB

Ecodora S.r.l.
Vicenza - Italy
tel. +39 0424 570891
fax +39 0424 571354
www.ecodora.com
info@ecodora.com

CE Made in Italy  

All rights reserved by Ecodora S.p.A.